

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,282,328
APPLICATION NO. : 10/665,633
ISSUE DATE : October 16, 2007
INVENTOR(S) : Huimin Kong et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 9, line number 28, delete "Exo³¹" and insert - - Exo⁻ - - , therefor.

At column 20, line number 32, delete "MgCl₂2" and insert - - MgCl₂ - - , therefor.

At column 22, line number 57, delete "μg/lμl" and insert - - μg/μl - - , therefor.

At column 28, line number 12, delete "Sapμl" and insert - - Sapμl - - , therefor.

At column 30, line number 60, delete "μdH₂O" and insert - - μl dH₂O - - , therefor.

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being transmitted via the Office electronic filing system in accordance with § 1.6(a)(4).

Dated: _____

Electronic Signature for Harriet M. Strimpel, D.Phil.: /Harriet M. Strimpel, D.Phil./

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Harriet M. Strimpel, D.Phil.
NEW ENGLAND BIOLABS, INC
240 County Road
Ipswich, Massachusetts 01938

1